



Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A method of producing a xanthohumol-concentrated hop extract, wherein the a xanthohumol-containing concentrated hop extract is extracted from a xanthohumol-containing hop raw material by highly compressed CO₂ as a solvent at pressures above 500 bar and at temperatures above 60°C.
- 2. (Original) A method according to claim 1, wherein extraction takes place at pressures between 600 and 1000 bar and at temperatures between 70 and 90°C.
- 3. (Currently Amended) A method according to claim 1,

wherein hop pellets, which have been pre-extracted with usual, supercritical CO₂ at 200 to 300 bar and 40 to 60°C, are used as hop raw material, the hop pellets being subjected to subsequent extraction with CO₂ at 600 to 1000 bar and at 60 to 90°C to produce dissolved ingredients including xanthohumol-concentrated hop extract and an extraction residue, after which said dissolved ingredients are separated

Appln. No. 10/724,237 Amd. dated November 27, 2006 Reply to Office Action of July 26, 2006

the extraction residue.

- 4. (Original) A method according to claim 3, wherein the subsequent extraction takes place at pressures of up to 900 bar and at 75 to 90°C.
- 5. (Currently Amended) A method according to claim 3, wherein separation—the dissolved ingredients including the xanthohumol-concentrated hop extract takes place are separated in a separating vessel at a pressure of up to 200 bar and a temperature of up to 90°C.
- 6. (Currently Amended) A method according to claim 5, wherein the separation dissolved ingredients including the xanthohumol-concentrated hop extract takes placeare separated at a pressure of 60 to 70 bar and a temperature of 40 to 60°C.
- 7. (Currently Amended) A method according to claim 1, wherein comprising the steps of:
 - extracting hop pellets are used as a hop raw material, which are extracted at 600 to 900 bar to obtain a pre-extract including a xanthohumolconcentrated extract,

- 3 -

Appln. No. 10/724,237 Amd. dated November 27, 2006 Reply to Office Action of July 26, 2006

- extract is separated from the pre-extract at pressures of 200 to 500 bar and temperatures of 40 to 90°C in a first step, and
- separating an extract, usualuseful for beer brewing, is separated from the remaining pre-extract at pressures of 60 to 80 bar and temperatures of 40 to 60°C in a second step.
- 8. (Currently Amended) A method according to claim 1, wherein the xanthohumol-concentrated hop extract is gained in a separator as a stable powder that <u>isneeds</u>—no drying—dry and is—free from additives.
- 9. (Currently Amended) Use of A method for preparing a food comprising admixing to a solid, pasty or liquid food a xanthohumol-concentrated hop extract which is produced according to claim 1, wherein the xanthohumol concentrated hop extract is used as an admixture to solid, pasty or liquid food.
- 10. (Currently Amended) Use of a xanthohumol concentrated hop extractA method for preparing a solid, pasty or liquid food according to claim 9, wherein the xanthohumol-concentrated hop extract is admixed to said solid, pasty or liquid food in a dry, pourable form.

Appln. No. 10/724,237 Amd. dated November 27, 2006 Reply to Office Action of July 26, 2006

- 11. (Currently Amended) Use of a xanthohumol concentrated hop extractA method for preparing a food according to claim 9, wherein the xanthohumol-concentrated hop extract, in its dry, pourable form, is completely dissolved in an appropriate organic solvent and added to a beverage.
- 12. (Currently Amended) Use of a xanthohumolconcentrated hop extractA method for preparing a food
 according to claim 11, wherein the xanthohumol-concentrated
 hop extract is added by way of continuous addition during one
 of a pumping and conveying process.
- concentrated hop extractA method for preparing a food according to claim 11, wherein the xanthohumol-concentrated hop extract, in its dry, pourable form, is completely dissolved in ethanol is used as a solvent andwith a concentration of up to 20% percent by weight of the xanthohumol-concentrated hop extract are used in the solution.

- 5 -